Piraeus, 13 April 2022



PRESS RELEASE

2020 VINEYARD SURVEY

The Hellenic Statistical Authority (ELSTAT) announces the results of the Vineyard Survey for the year 2020.

From 1982 until 2013, the Vineyard Survey used to be conducted by ELSTAT on an annual basis pursuant to Council Regulation (EEC) 357/79. Following the amendment of the Regulation and its replacement by (EU) 1337/2011, the survey is conducted every five years, with 2015 the first reference year. According to the new regulation, the results of the survey are compiled on the basis of administrative sources, namely the data the Vineyard Register which, in Greece, is maintained by the Ministry of Rural Development and Food.

The results of the 2020 Vineyard Survey presented in the press release, refer to the number of holdings and areas under vines <u>with wine grapes and raisins</u> at the level of Greece total and of the Region (NUTS II), in comparison with the respective results of the 2015 Vineyard Survey.

I. Number of Holdings and Area

The total number of holdings under vines (wine grapes and raisins) recorded an increase of 2.3% in 2020 compared to 2015. The number of holdings with vines in production increased by 2.3%, while the number of holdings with vines not yet in production increased by 35, 8%.

The total areas under vines decreased by 0.1% in 2020 compared to 2015. The areas with vines in production decreased by 1.2%, while the areas with vines not yet in production increased by 54.6% (Table 1).

| | 2020 | 2015 | Change (%) 2020/2015 | 2020 | 2015 | Change (%) 2020/2015 | |
|-----------------------|---------|------------|----------------------------|---------------------|-----------|----------------------------|--|
| | Nun | nber of Ho | ldings ¹ | Area (in stremmas²) | | | |
| In production | 192,607 | 188,195 | 2.3 | 999,548 1,011,549 | | -1.2 | |
| Not yet in production | 3,663 | 2,698 | 35.8 | 29,801 | 19,272 | 54.6 | |
| Total Vines | 193,252 | 188,873 | 2.3 | 1,029,349 | 1,030,821 | -0.1 | |

Table 1: Number of Holdings and Area under Vines in Production and Not yet in Production

Information on methodological issues: Agriculture, Livestock, Fishery and Environment Statistics Division Agricultural Input-Output & Indices Section Maria Oikonomakou Tel: +30 213 135 2053 Fax: +30 213 135 2474

Email: m.oikonomakou@statistics.gr

Information for data provision: Tel: +30 213 135 2022, 2308, 2310 Email: data.dissem@statistics.gr

¹ Regarding the number of holdings, the individual categories do not sum up to the total, as the same holding can be recorded under various categories.

² 1 stremma = 0.1 ha

Out of the total area under vines in 2020, 644,088 stremmas are cultivated with wine grapes, increased by 1.7% compared with 2015 and 385,261 stremmas with raisins, decreased by 3.1% compared with 2015 (Table 2).

The number of holdings growing vines with wine grapes amounted to 166,492 in 2020, increased by 2.6% compared with 2015 and with raisins amounted to 46,220, decreased by 0.2% compared with 2015 (Table 2).

Regarding the categories of vines with wine grapes in 2020 were recorded:

- 29,988 holdings and 142,030 stremmas with vines with wine grapes intended for the production of protected designation of origin wines (PDO). This area constituted 22.1% of the total area with vines with wine grapes (Table 2, Graph 1).
- 108,729 holdings and 406,715 stremmas vines with wine grapes intended for the production of protected geographical indication wines (PGI). This area constituted 63.1% of the total area with vines with wine grapes (Table 2, Graph 1).
- 34,157 holdings and 73,113 stremmas vines with wine grapes intended to produce other wines. This area constituted 11.4% of the total area with vines with wine grapes (Table 2, Graph 1).
- 11,524 holdings and 22,230 stremmas **vines with dual purpose grapes** (wine grapes and table grapes or wine grapes and raisins). This area constituted 3.5% of the total area with vines with wine grapes (Table 2, Graph 1).

| | 2020 | 2015 | Change (%) 2020/2015 | 2020 | 2015 | Change (%) 2020/2015 |
|-----------------------------------|---------|------------|----------------------------|---------------------|-----------|----------------------------|
| | Nur | nber of Ho | ldings | Areaς (in stremmas) | | |
| Total Vines (A + B) | 193,252 | 188,873 | 2.3 | 1,029,349 | 1,030,821 | -0.1 |
| Total vines with wine grapes (A) | 166,492 | 162,330 | 2.6 | 644,088 | 633,262 | 1.7 |
| For the production of PDO wines | 29,988 | 29,927 | 0.2 | 142,030 | 145,187 | -2.2 |
| For the production of PGI wines | 108,729 | 104,995 | 3.6 | 406,715 | 396,712 | 2.5 |
| For the production of other wines | 34,157 | 33,222 | 2.8 | 73,113 | 68,884 | 6.1 |
| With dual purpose grapes | 11,524 | 11,517 | 0.1 | 22,230 | 22,479 | -1.1 |
| Total raisins (B) | 46,220 | 46,304 | -0.2 | 385,261 | 397,559 | -3.1 |

Table 2: Number of Holdings and Area under Vines by Type of Production

Graph 1: Percentage Distribution of Area under Vines with Wine Grapes by category



II. Geographical distribution of area under vines by NUTS II regions

As regards the distribution of areas under vines by region in 2020, Peloponnisos accounted for the majority of areas with 247,739 stremmas, decreased by 3.1% compared with 2015, followed by Kriti with 221,845 stremmas, decreased by 1.6% compared with 2015, and Dytiki Ellada with 164,521 stremmas, without significant change (0.05%) compared with 2015 (Table 3, Graph 2).

Most of the areas under vines with wine grapes in 2020 are recorded in Peloponnisos, 100,087 stremmas, and then follow Dytiki Ellada with 88,281 stremmas and Kriti with 77,616 stremmas (Table 3).

Two regions account for the majority of areas under raisins in 2020 (75.8% of the total area under raisins), namely, Peloponnisos with 147,652 stremmas and Kriti with 144,228 stremmas (Table 3).

| Vines with wine grapes and raisins | | | | | | | | | | |
|------------------------------------|-----------|----------------|---------|-----------|----------------|---------|----------------------|----------------|---------|--|
| | | 2020 | | | 2015 | | Change (%) 2020/2015 | | | |
| Region (NUTS II) | Total | Wine Grapes | Raisins | Total | Wine Grapes | Raisins | Total | Wine Grapes | Raisins | |
| GREECE, TOTAL | 1,029,349 | 644,088 | 385,261 | 1,030,821 | 633,262 | 397,559 | -0.1 | 1.7 | -3.1 | |
| Anatoliki Makedonia, Thraki | 22,274 | 22,274 | | 21,133 | 21,133 | | 5.4 | 5.4 | | |
| Kentriki Makedonia | 47,352 | 47,352 | | 45,839 | 45,839 | | 3.3 | 3.3 | | |
| Dytiki Makedonia | 26,364 | 26,364 | | 24,388 | 24,388 | | 8.1 | 8.1 | | |
| Ipeiros | 8,669 | 8,669 | | 7,814 | 7,814 | | 10.9 | 10.9 | | |
| Thessalia | 43,382 | 43,382 | | 41,215 | 41,215 | | 5.3 | 5.3 | | |
| Sterea Ellada | 69,576 | 69,576 | | 68,023 | 68,023 | | 2.3 | 2.3 | | |
| Ionia Nisia | 48,227 | 31,086 | 17,141 | 47,540 | 30,075 | 17,465 | 1.4 | 3.4 | -1.9 | |
| Dytiki Ellada | 164,521 | 88,281 | 76,240 | 164,446 | 86,617 | 77,829 | 0.05 | 1.9 | -2.0 | |
| Peloponnisos | 247,739 | 100,087 | 147,652 | 255,537 | 101,317 | 154,220 | -3.1 | -1.2 | -4.3 | |
| Attiki | 62,113 | 62,113 | | 60,700 | 60,700 | | 2.3 | 2.3 | | |
| Voreio Aigaio | 27,977 | 27,977 | | 29,065 | 29,065 | | -3.7 | -3.7 | | |
| Notio Aigaio | 39,311 | 39,311 | | 39,574 | 39,574 | | -0.7 | -0.7 | | |
| Kriti | 221,845 | 77,616 | 144,228 | 225,548 | 77,503 | 148,045 | -1.6 | 0.1 | -2.6 | |

Table 3: Area under Vines with Wine Grapes and Raisins by Region

Graph 2: Distribution of Total Area under Vines by Region (NUTS II)



As regards vines with wine grapes for the production of PDO and PGI wines in 2020, most of the areas under vines for the production of PDO wines are recorded in Peloponnisos, 34,552, stremmas decreased by 4.1% compared with 2015, while most of the areas under vines for the production of PGI wines are observed in Sterea Ellada with 63,289 stremmas, increased by 2.0% compared with 2015 (Table 4).

| Vines with wine grapes | | | | | | | | | | | |
|-----------------------------------|---------|------------------|------------------|---------|------------------|------------------|----------------------|------------------|------------------|--|--|
| | 2020 | | | | 2015 | | Change (%) 2020/2015 | | | | |
| Περιφέρεια | | Of w | Of which | | Of which | | | Of which | | | |
| | Total | For PDO wines | For PGI wines | Total | For PDO wines | For PGI wines | Total | For PDO wines | For PGI wines | | |
| GREECE, TOTAL | 644,088 | 142,030 | 406,715 | 633,262 | 145,187 | 396,712 | 1.7 | -2.2 | 2.5 | | |
| Anatoliki Makedonia, Thraki | 22,274 | | 15,171 | 21,133 | | 13,886 | 5.4 | | 9.3 | | |
| Kentriki Makedonia | 47,352 | 8,145 | 27,587 | 45,839 | 8,080 | 27,057 | 3.3 | 0.8 | 2.0 | | |
| Dytiki Makedonia | 26,364 | 4,674 | 17,876 | 24,388 | 4,656 | 16,093 | 8.1 | 0.4 | 11.1 | | |
| Ipeiros | 8,669 | 1,414 | 4,952 | 7,814 | 1,377 | 4,438 | 10.9 | 2.7 | 11.6 | | |
| Thessalia | 43,382 | 3,706 | 27,574 | 41,215 | 3,819 | 26,075 | 5.3 | -3.0 | 5.7 | | |
| Sterea Ellada | 69,576 | | 63,289 | 68,023 | | 62,023 | 2.3 | | 2.0 | | |
| Ionia Nisia | 31,086 | 3,196 | 21,944 | 30,075 | 3,291 | 21,462 | 3.4 | -2.9 | 2.2 | | |
| Dytiki Ellada | 88,281 | 19,506 | 55,057 | 86,617 | 19,022 | 54,321 | 1.9 | 2.5 | 1.4 | | |
| Peloponnisos | 100,087 | 34,552 | 53,875 | 101,317 | 36,031 | 53,780 | -1.2 | -4.1 | 0.2 | | |
| Attiki | 62,113 | | 61,178 | 60,700 | | 59,820 | 2.3 | | 2.3 | | |
| Voreio Aigaio | 27,977 | 17,745 | 7,523 | 29,065 | 18,651 | 7,584 | -3.7 | -4.9 | -0.8 | | |
| Notio Aigaio | 39,311 | 23,597 | 7,850 | 39,574 | 23,895 | 7,755 | -0.7 | -1.2 | 1.2 | | |
| Kriti | 77,616 | 25,495 | 42,839 | 77,503 | 26,366 | 42,418 | 0.1 | -3.3 | 1.0 | | |

Table 4: Area under Vines with Wine Grapes by category and Region

III. Distribution of area by size class of the holding

As regards the breakdown of holdings by size classes in 2020, on the basis of the total area under vines of the holding, the largest number of holdings (53.3% of the total number of holdings) is recorded for the size class "1 - 4.9 stremmas" with 103,099 holdings (Table 5, Graph 3).

Similarly, the size class "10 - 29.9 stremmas" accounts for the majority of areas under vines (36.4% of the total area), recording 374,912 stremmas (Table 5, Graph 4).

| | | 20 | 20 | | 2015 | | | | | |
|--------------------|-----------------------|-------|--------------------------|-------|-----------------------|-------|-----------------------|-------|--|--|
| Size class | Number of Holdings | (%) | Area (in stremmas) | (%) | Number of Holdings | (%) | Area (in stremmas) | (%) | | |
| < 1 stremma | 36,016 | 18.6 | 19,131 | 1.9 | 33,189 | 17.6 | 17,753 | 1.7 | | |
| 1 – 4.9 stremmas | 103,099 | 53.3 | 218,982 | 21.3 | 101,124 | 53.5 | 215,954 | 20.9 | | |
| 5 – 9.9 stremmas | 26,507 | 13.7 | 181,973 | 17.7 | 26,477 | 14 | 181,742 | 17.6 | | |
| 10 – 29.9 stremmas | 22,915 | 11.9 | 374,912 | 36.4 | 23,260 | 12.3 | 380,287 | 36.9 | | |
| 30 – 49.9 stremmas | 3,471 | 1.8 | 129,339 | 12.6 | 3,600 | 1.9 | 134,587 | 13.1 | | |
| 50 – 99.9 stremmas | 1,093 | 0.6 | 69 <i>,</i> 438 | 6.7 | 1,078 | 0.6 | 68,040 | 6.6 | | |
| >100 stremmas | 151 | 0.1 | 35,574 | 3.5 | 145 | 0.1 | 32,458 | 3.1 | | |
| Total | 193,252 | 100.0 | 1,029,349 | 100.0 | 188,873 | 100.0 | 1,030,821 | 100.0 | | |

Table 5: Number of Holdings and Area under Vines by Size Class of the Holding









IV. Wine grape varieties for Greece Total and by region

The wine grape varieties covering the largest area for Greece Total in 2020 are Savatiano, with 103,699 stremmas corresponding to 18,455 holdings, and Roditis, with 90,598 stremmas corresponding to 28,787 holdings. The area covered by these two varieties amounts to 30.2% of the total area under wine grapes (Table 6).

| | 2 | 020 | 20 | 15 | Change (%) 2020/2015 | | |
|--------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
| Ποικιλία | Number of Holdings | Area (in stremmas) | Number of Holdings | Area (in stremmas) | Number of Holdings | Area (in stremmas) | |
| Savatiano | 18,455 | 103,699 | 18,138 | 103,555 | 1.7 | 0.1 | |
| Roditis | 28,787 | 90,598 | 28,436 | 90,000 | 1.2 | 0.7 | |
| Agiorgitiko | 4,287 | 31,616 | 4,179 | 33,654 | 2.6 | -6.1 | |
| Liatiko | 15,376 | 25,816 | 14,672 | 26,200 | 4.8 | -1.5 | |
| Moschato amvourgou | 8,688 | 24,395 | 8,641 | 23,255 | 0.5 | 4.9 | |
| Xinomavro | 6,768 | 21,794 | 6,698 | 21,516 | 1.0 | 1.3 | |
| Cabernet sauvignon | 5,717 | 18,453 | 5,603 | 19,554 | 2.0 | -5.6 | |
| Assyrtiko | 3,173 | 21,659 | 2,656 | 19,106 | 19.5 | 13.4 | |
| Mavroudi | 9,259 | 16,359 | 8,937 | 16,702 | 3.6 | -2.1 | |
| Moschato aspro | 3,994 | 17,034 | 4,068 | 16,326 | -1.8 | 4.3 | |
| Merlot | 3,643 | 15,973 | 3,211 | 14,640 | 13.5 | 9.1 | |
| Kotsifali | 8,451 | 12,960 | 8,326 | 13,458 | 1.5 | -3.7 | |
| Romeiko | 6,820 | 11,406 | 6,712 | 11,416 | 1.6 | -0.1 | |
| Fokiano | 4,556 | 10,845 | 4,522 | 11,126 | 0.8 | -2.5 | |
| Moschofilero | 2,219 | 11,821 | 2,105 | 11,057 | 5.4 | 6.9 | |
| Syrah | 2,737 | 11,563 | 2,425 | 10,969 | 12.9 | 5.4 | |
| Razaki | 5,373 | 9,059 | 5,626 | 9,995 | -4.5 | -9.4 | |
| Μανδηλαρια | 4,365 | 8,960 | 4,383 | 9,495 | -0.4 | -5.6 | |
| Moschato alexandrias | 2,646 | 8,877 | 2,528 | 8,340 | 4.7 | 6.4 | |
| Sauvignon blanc | 1,081 | 9,988 | 863 | 7,678 | 25.3 | 30.1 | |
| Chardonnay | 1,370 | 7,601 | 1,273 | 7,066 | 7.6 | 7.6 | |
| Fileri | 3,223 | 6,538 | 3,260 | 6,757 | -1.1 | -3.2 | |
| Athiri | 1,222 | 5,815 | 1,135 | 5,945 | 7.7 | -2.2 | |
| Vilana | 3,740 | 5,679 | 3,734 | 5,887 | 0.2 | -3.5 | |
| Malagousia | 1040 | 7,534 | 726 | 5,341 | 43.3 | 41.1 | |
| Asproudes | 3,349 | 4,937 | 3,302 | 5,306 | 1.4 | -7.0 | |
| Mavrodafni | 2,347 | 5,512 | 2,292 | 5,101 | 2.4 | 8.1 | |
| Skiadopoulo | 2,343 | 4,937 | 2,352 | 5,074 | -0.4 | -2.7 | |
| Other wine grape virierties | 50177 | 122,533 | 47,850 | 108,748 | 13.9 | 12.7 | |
| Wine grape varieties, Total | 166,492 | 644,088 | 162,330 | 633,262 | 2.6 | 1.7 | |

Table 6: Wine Grape Varieties. Number of Holdings and Area

As regards the distribution of the cultivated wine grapes varieties by region, the next thematic map illustrates for the year 2020, the areas with the most important wine grape variety by region and their percentage contribution to the total area under wine grapes of the region (Map 1).



Map 1: Main Wine Grape Variety by Region, 2020 (NUTS II)

EXPLANATORY NOTES

- General Information The Hellenic Statistical Authority conducts the Vineyards Survey in order to collect information on the number of holdings and areas under vines at level of the region (NUTS II). The Vineyard Survey used to be conducted by ELSTAT from 1982 until 2013 on an annual basis, pursuant to Council Regulation (EEC) 357/79. Moreover, the Basic Vineyard Survey was carried out every ten years. According to the new Regulation in force (EU) No 1337/2011, repealing Regulation (EEC) No 357/79, the survey is conducted every five years, with 2015 the first reference year. Also, in accordance with the new regulation, data are not collected through sample surveys but they are exported from the Vineyard Register maintained in Greece by the Ministry of Rural Development and Food.
 - **Purpose** The purpose of the survey is to collect detailed statistical data on the number of holdings and the agricultural area under vines. These data are necessary for drawing the agricultural policy of the country, as well as the Common Agricultural Policy of the EU. In addition, the data also cover other national and international needs and obligations.
 - Legal basis The survey is governed by National and European Legislation (Regulation (EU) 1337/2011 of the Council concerning European statistics on permanent crops).
 - **Reference Period** The reference period is year 2020.
 - MethodologyData are exported from the Vineyard Register maintained by the Ministry of
Rural Development and Food.
 - **Data publication** The survey results are available in electronic format.
 - References
 More information about the survey results and the methodology can be found on the website of Hellenic Statistical Authority:

 http://www.statistics.gr/en/statistics/-/publication/SPG63